

Interactive screen

Specification W-HP Series Android 13_MT8195_IR




Android 14



windows optional



4K Resolution



Zero gap



SHARE WITH
AIR GO CAST



camera optional



Bluetooth



Anti-Glare
Glass



Floating tool bar, side bar and physical hotkeys provide quick access to system/software Available size 65"/75"/86"

- Multi-point Touch Ultra-fine Writing
- The ultra-thin stylus offers an incredibly smooth and natural writing experience like a traditional pen.
- However, it outperforms old-school writing by identifying two touch objects with different touch sizes and configuring different colors for each. You can even change the color of either one without affecting the other!
- 40 -point touch 20-point writing
- Two color writing simultaneously
- Up to four-split screen



- Luxurious Visuals
- employs 4K ultra HD resolution and anti-glare tempered glass to deliver astonishing lifelike visuals for every audience in the room.
- 4K UHD Display
- 4mm Tempered Glass 178° Viewing Angle
- Wireless screen sharing across various systems



KALBOARD®

Educational, Visual & Business Aids Producers

Specification W-HP Series Android 13 MT8195_IR				
Display	Model	WX-WB06522H	WX-WB07522H	WX-WB08622H
	Size	65 inch	75 inch	86 inch
	Bonding	0 gap	0 gap	0 gap
	Backlight	D-LED	D-LED	D-LED
	Display area (mm)	1428.48(H)x803.52(V)	1649.664(H)*927.936(V)	1895.04(H)*1065.96(V)
	Aspect Ratio	16:9	16:9	16:9
	Viewing Angle(V/H)	178°	178°	178°
	Brightness	450nits	450nits	450nits
	Contrast ratio	4000: 1	4000: 1	4000: 1
	Colors	1.07B(10 bits)	1.07B(10 bits)	1.07B(10 bits)
	Resolution	3840*2160	3840*2160	3840*2160
	Refresh Rate	60HZ	60HZ	60HZ
	Glass	4mm, anti-galre, tempered, explosion-proof glass		
	Lifetime	≥50,000h		
System	Chip	MT8195.C	MT8195.C	MT8195.C
	CPU	A78x4+A55x4	A78x4+A55x4	A78x4+A55x4
	GPU	G57 MC5	G57 MC5	G57 MC5
	RAM	8G DDR4	8G DDR4	8G DDR4
	ROM	128G	128G	128G
	Android version	13	13	13
Touch	Touch points / Drawing	50 points / 40 points	50 points / 40 points	50 points / 40 points
	Minimum Touch Object	2mm	2mm	2mm
	Precision	±0.5mm	±0.5mm	±0.5mm
Buttons	Front buttons	Eye protect/Setting/Return/Source/Home/V-/V+/Power		
Front interface	Type-C	1 (65W)	1 (65W)	1 (65W)
	USB-A (Dual Channel)	*2 (3.0)	*2 (3.0)	*2 (3.0)
	Touch-B	1	1	1
	HDMI IN	1	1	1
Rear interface	MIC IN	1	1	1
	SPDIF (Coaxial)	1	1	1
	HDMI OUT	1	1	1
	RS232	1	1	1
	RJ45 IN	1*(10/100/1000)	1*(10/100/1000)	1*(10/100/1000)
	RJ45 OUT	1*(10/100/1000)	1*(10/100/1000)	1*(10/100/1000)
	Audio OUT	1	1	1
	TYPE C OUT	1	1	1
	Android USB 2.0	1	1	1
	HDMI IN	2	2	2
	Touch USB-B	2	2	2
	TYPE C IN	1(65W)	1(65W)	1(65W)
	DP IN	1	1	1
	Public USB3.0	2	2	2
	TF Card	1	1	1
Wifi & BT	WIFI & Bluetooth	WIFI6+BT 5.2	WIFI6+BT 5.2	WIFI6+BT 5.2
Speakers	Speakers	2*20W (Optional for sub woofer)		
Power consumption	Power consumption	≤440W	≤490W	≤658W
	Standby	≤0.5W	≤0.5W	≤0.5W
	Working voltage	100-240V~ 50/60Hz	100-240V~ 50/60Hz	100-240V~ 50/60Hz
Dimension	Physical dimension(mm)	1488.7*895.3*94.1	1710.8*1018.9*94.1	1957*1158.6*94.1
	Packed dimension(mm)	1626*1036*210	1848*1159*210	2094*1299*210
	NW / GW	41±1KG / 54±1KG	54±1KG / 68±1KG	67±1KG / 87±1KG
Warranty	3 years standard warranty			
In The Box	Pen*2 / Power cable*1(3 meters) / HDMI cable* (3 meters) /USB cable*1(A -A, 3 meters)/Manual*2 /Wall mount*1			
Certificatin	CE-EMC / CE-LVD / CE-RED / Rohs / CB/ FCC			